

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	341	inspect\$3 near\$3 system and(rotating or rotat\$3)same prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:55
L2	3	L1 and(rotating or rotat\$3)same prism and (different adj angular or coordinates or degree)and inspect\$3 and (field adj of adj view or FOV)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:53
L3	1081	(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:58
L4	971	(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:01
L5	971	(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:37
L6	1	L5 and quadrant adj inspect\$3 and (rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:28
L7	6	L5 and(quadrant or coordinates)adj inspect\$3 and(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:21
L8	0	L6 and (@ad<"20030903" or @rlad<"20030903" or @prad<"20030903" or @ptad<"20030903")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:06
L9	859	L5 and (@ad<"20030903" or @rlad<"20030903" or @prad<"20030903" or @ptad<"20030903")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:45

## EAST Search History

L10	712	L5 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:23
L11	5	L10 and(quadrant or coordinates)adj inspect\$3 and(rotating or rotat\$3)same prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:07
L12	1	L5 and quadrant adj inspect\$3 and(rotating or rotat\$3)same prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:41
L13	6	L5 and(quadrant or coordinates)adj inspect\$3 and(rotating or rotat\$3)same prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:22
L14	5	L13 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:30
L15	228	L5 and (quadrants or area or region)and inspect\$3 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:31
L16	228	L5 and L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:30
L17	186	L16 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:37
L18	0	L17 and(quadrants or area or region)and inspect\$3 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism and generating same first adj area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:32
L19	8	(quadrants or area or region)and inspect\$3 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism and generating same first adj area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:38

## EAST Search History

L20	103	((("5293428") or ("6088108") or ("6292261") or ("6350038") or ("6580501") or ("6683682") or ("20010024273") or ("20050047644") or ("4164659") or ("4298808") or ("4571028") or ("4597665") or ("4837715") or ("5052802") or ("5477318") or ("5516692") or ("6525811") or ("4933751") or ("4597644") or ("4851697") or ("5959778") or ("5978144") or ("6141151") or ("4443088") or ("4593979") or ("4840486") or ("5327289") or ("5526048") or ("5589977") or ("5867213") or ("5894356") or ("5917561") or ("5967635") or ("6190013") or ("6243334") or ("6246789") or ("4248495") or ("4548495") or ("4623219") or ("4772095") or ("5241423") or ("5333076") or ("5416538") or ("5523887") or ("5548444") or ("5561494") or ("5598211") or ("5625499") or ("5631076") or ("5657158") or ("").pn.")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 13:36
L21	3	L20 and(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:44
L22	2	L21 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:37
L23	0	L22 and(quadrants or area or region)and inspect\$3 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism and generating same first adj area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:42
L24	0	L22 and(quadrants or area or region)and inspect\$3 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:39
L25	0	L22 and(quadrants or area or region)and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:39

## EAST Search History

L26	1	L20 and quadrant adj inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:41
L27	0	L17 and quadrant adj inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:41
L28	4583	quadrant and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:56
L29	1	L28 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism and generating same first adj area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:42
L30	1	L28 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism and generating same image adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:43
L31	165	L28 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism and generating and(plurality or plural\$1 or sets or multiple)and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:13
L32	54	L31 and(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:49
L33	53	L32 and(@ad<"20030903" or @rlad<"20030903" or @prad<"20030903" or @ptad<"20030903")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:45
L34	48	L32 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:55
L35	14	L28 and inspect\$3 and(wafer\$I or semicondudor\$I or chip\$I or substrat\$I)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:54

## EAST Search History

L36	0	L35 and(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and image adj data and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:50
L37	0	L35 and(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set)and data and(field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:50
L38	0	L35 and(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set or plurality or plural\$1)and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:12
L39	0	L35 and(rotating or rotat\$3)and prism and generat\$3 and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:58
L40	10	L35 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:53
L41	0	L28 and inspect\$3 near3 component and(wafer\$I or semicondudor\$I or chip\$I or substrat\$I)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:54
L42	13	L28 and inspect\$3 and component and(wafer\$I or semicondudor\$I or chip\$I or substrat\$I)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:57
L43	10	L42 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:59
L44	40	quadrant and inspect\$3 and pattern adj inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:59
L45	0	L44 and(wafer\$I or semicondudor\$I or chip\$I or substrat\$I)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:57

## EAST Search History

L46	0	L44 and(wafer\$I or semiconductor\$I or chip\$I or substrat\$I)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:58
L47	1	L44 and(wafer\$I or semiconductor\$I or chip\$I or substrat\$I or workpiece)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:10
L48	0	L47 and(rotating or rotat\$3)and prism and generat\$3 and(field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 13:59
L49	27234	(rotating or rotat\$3)and prism and generat\$3 and(field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:03
L50	8	L49 and quadrant and inspect\$3 and pattern adj inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:03
L51	7	L50 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:04
L52	7902	(rotating or rotat\$3)same prism and generat\$3 and(field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:03
L53	130	L52 and quadrant and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:03
L54	2	L52 and quadrant and inspect\$3 and(plurality or plural\$1)same quadrants	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:08
L55	2	L54 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:08

## EAST Search History

L56	100	L53 and @ad<"20030903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:08
L57	87	L56 and quadrant and(plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:08
L58	87	L57 and(rotating or rotat\$3)same prism and generat\$3 and(2 or two or many or multiple or set or plurality or plural\$1)and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:10
L59	12994	L58 and (captur\$3 or obtain\$3)data same(wafer\$I or semiconductor\$I or chip\$I or substrat\$I or workpiece)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:11
L60	87	L58 and L59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:12
L61	87	L60 and(rotating or rotat\$3)same prism and generat\$3 and (2 or two or many or multiple or set or plurality or plural\$1)and (field adj of adj view or FOV or area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:12
L62	65	L61 and(rotating or rotat\$3 or mov\$4 or chang\$4)same prism and generating and(plurality or plural\$1 or sets or multiple)and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:13